

OFFICE OF THE CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER, KEONJHAR
(NCD CELL)

Letter No. 524 / DPHO/NCD, Keonjhar

Date: 26-02-2020

To

The Information & Public Relation Department, Odisha,
Bhubaneswar

Sub: Publication of Tender Call Notice for "Proposal for Supply of Machinery & Equipments & Consumables under National Programme for Health Care of Elderly (NPHCE) & DEIC, Keonjhar"


Madam/Sir,

With reference to the subject cited above you are requested to publish the Tender call notice in your esteemed two Daily News Paper for one time basis on 27-02-2020 issue only with minimum space. The advertisement is given below for publication.

 ZILLA SWASTHYA SAMITI, KEONJHAR OFFICE OF THE CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER, KEONJHAR (NCD CELL) TENDER CALL NOTICE	
Advt. No. <u>524</u>	Date: <u>26-02-2020</u>
<p>Sealed tender are invited from the registered supplier/firm for "Proposal for Supply of Machinery & Equipments & Consumables under National Programme for Health Care of Elderly (NPHCE) & DEIC, Keonjhar" for the year 2019-20. The interested supplier/firm having valid GST may apply. The term & condition along with list of items the tender may be downloaded from the web site www.kendujhar.nic.in. The tender should reach to the office CDM&PHO, Keonjhar (NCD Wing) by <u>19-03-2020 at 5.00</u> P.M. through Speed Post/Regd. Post/ Courier and which will be opened on at <u>19-03-2020 at 5.30</u> PM DTU Conference Hall NHM, Keonjhar. This office will not entertain any tender after the due date/time fixed for at any circumstances.</p> <p>The undersigned reserves the right to reject any or whole tender without assignment any reason thereof.</p> <p style="text-align: right;">Sd/ Chief District Medical & Public Health Officer, Keonjhar</p>	

Therefore, you are a requested to publish the advertisement by utilizing minimum space as per the approved I & PR Govt. of Odisha rate. The bill will be paid by departmentally not by district authority.


Yours faithfully,


Chief District Medical &
Public Health Officer, Keonjhar

Memo No. 525 / DPHO/NCD, Keonjhar

Date: 26-02-2020


Copy forwarded to the DIO, NIC, Keonjhar for information & requested to publish the Tender Advertisement under NHM on dt. 27-02-2020 in the District NIC website under the heading of "Proposal for Supply of Machinery & Equipments & Consumables under National Programme for Health Care of Elderly (NPHCE) & DEIC, Keonjhar" for information of the public. The details of the Tender advertisement are enclosed ...1.8 pages.


Chief District Medical &
Public Health Officer, Keonjhar

Memo No. 526 / DPHO/NCD, Keonjhar

Date: 26-02-2020


Copy to all the District Tender committee members DPHO/ADPHO(TB)/FW/VBD/DPM(NPCB)/SMO/DLO/DPM(NHM)/DAM/ Revenue Officer (Collector Representative), Keonjhar for kind information & requested to attend the Tender committee meeting to be held on 19-03-2020 at 5:30 P.M. in DTU Conference Hall NHM, Keonjhar.


Chief District Medical &
Public Health Officer, Keonjhar

Memo No. 527 / DPHO/NCD, Keonjhar

Date: 26-02-2020


Copy submitted to the Collector & DM, Keonjhar for favour of kind information.


Chief District Medical &
Public Health Officer, Keonjhar

Memo No. 528 / DPHO/NCD, Keonjhar

Date: 26-02-2020

Copy submitted to the Mission Director, NHM, Odisha/ CEO(SUNETRA), Odisha for favour of kind information.


Chief District Medical &
Public Health Officer, Keonjhar

**OFFICE OF THE CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER,
KEONJHAR
(NCD CELL KEONJHAR)**

TENDER CALL NOTICE

No. 524 / DPHO/NCD, Keonjhar

Date 26.02.2020

Scaled tender is invited from the registered supplier/firm for **Supply of Machinery & Equipments & Consumables under National Programme for Health Care of Elderly (NPHCE) & DEIC, Keonjhar** for the year 2019-20. The interested supplier/firm having valid GSTIN may be applied. The lists of the items are mentioned below in details. The term & condition of the tender may be downloaded from the web site www.keonjhar.nic.in. The tender should reach to the office of the undersigned by 19.02.2020 at 5:00 P.M. through Speed Post/Regd. Post/ Courier and which will be opened on the same day at 19.02.2020 at 5:30 P.M. DTU Conference Hall NHM, Keonjhar. This office will not entertain any tender after the due date/time fixed for at any circumstances. The contract valid for a period of One year.

The undersigned reserves the right to reject any or whole tender without assignment any reason thereof.

Terms & Conditions:-

- a. The intending bidders should quote the rate per item inclusive of all taxes/charges.
- b. Tender must be accompanied by **paper cost of Rs. 1000/-** (Rupees One thousand) only (non-refundable) towards tender fee in any Nationalization Bank in Favour of **ZSS (NPHCE)**, in payable at **Keonjhar**
- c. The successful Bidder shall have to enclose **EMD Rs .14, 000/-** (Rupees fourteen thousand) only (refundable without interest) as mentioned against each item in tender paper in shape of Demand Draft drawn in favour of the **ZSS (NPHCE)**, in payable at **Keonjhar**.
- d. The EMD amount will be forfeited, if the party wants to withdraw the tender from the event and the EMD amount of the unsuccessful bidders will be refunded within a period of 30(thirty) days after finalization of the tender process.
- e. Replace should be made within 7 days from the date of issue of the letter if found not of standard quality/misbranded/spurious/ Clipping / Breakage/ Not context so to say minor, major substandard if any.
- f. Each bidder shall submit one bid only. Submission of more than one bid of same bidder will consider rejection of all bids.
- g. There are two parts of the tender documents named as **TECHNICAL BID & FINANCIAL BID**. The bidders are required to fill the bids in two separate envelope subscribe as **TECHNICAL & FINANCIAL BID** .And both envelope



must be put in a bigger envelope subscribe as tender documents for supply of spectacles on camp site. Supply of Machinery & Equipments & Consumables under National Programme for Health Care of Elderly (NPHCE) & DEIC, Keonjhar.

- h. All the documents mentioned in technical bid format must be submitted with technical bid. Any one document not submitted from mentioned in technical bid is liable to reject the tender documents of bidder.
- i. Evaluation & selection criteria.-The envelopes containing technical bids will open first & evaluate based on the documents & forms submitted in technical bid format. The financial bids of those bidder will be open whose technical bid is found to be responsive as per the tender requirements .All other price bids will be ignore.
- j. Tender calling authority is not responsible late receiving of bids due to any postal delay.

Payment Terms& Conditions:

- I. The payment will be released as per purchase order value after successful supply of all the items and with installation to place of order venue.
 - II. Goods will supply as per supply order & the supply of goods good quality, & quantity should be equal with as per specification of tender items.
 - III. Payment will be made through PFMS/Account Transfer.
1. The firm will have to submit an **Affidavit** (On original Stamp Paper of relevant value) in the technical bid with the following clauses:-
 - a) Our organization has not been blacklisted by any Government Organization
 - b) Our Organization does not have any legal suit / criminal case pending against it for violation of GST Act or any other law.
 - c) Our organization agrees to abide by all terms & condition of tender.
 - d) Our organization will quote prices inclusive of all taxes with transportation charges.
 2. Penalty to be imposed for delay in supply, as per procurement guidelines issued by the Govt. of Odisha.
 3. **LEGAL JURDICATION:-** all legal disputes are subjects to the jurisdiction of Keonjhar Courts



FORWARDING LETTER SELF DECLARATION FORM

(To be submitted by Bidder's in non-judicial stamp paper)

[To be submitted in Technical Bid]

To,
CDMO-Cum-District Mission Director
Keonjhar

Dear Sir,

Sub: Your Tender Ref. No. _____, Date _____.

This is with reference to your above mentioned tender for supply of **Supply of Machinery & Equipments & Consumables under National Programme for Health Care of Elderly (NPHCE) & DEIC, Keonjhar** Having examined the tender document, we hereby submit our proposal along with the necessary documents. I/ We hereby declare that our Organization (resisted distributor/ wholesaler/manufacture) is having unblemished past record and was not under a declaration of ineligibility for corrupt and fraudulent practices issued by Government of India or any State Government/PSU in the country of India.

Further, we agree to abide by all the terms and conditions as mentioned in the tender document. We have also noted that, the authority/purchase committee reserve the right to consider/ reject any or all bids without assignment any reason thereof.

Date: _____ / _____ /2020

Authorized Signatory:

Name:

Designation:

Place:

Phone:

Email:



TENDER FORMAT
(Technical Bid for Machinery & Equipments & Consumable)
(To be furnished in Technical Bid)

1	Name of the Organization	
2	Address of the Organization	
3	Name of authorized signatory (in capital letters)	
4	Specimen signature of the authorized signatory / organization	
5	Telephone number & email id of authorized signatory / organization	
6	GST Up to date clearance	(Photo copy to be attached)
7	PAN No	(Photo copy to be attached)
8	Tender must be accompanied by (EMD) Security Deposits of Rs. 14,000/-(Fourteen thousand) only by way of Demand Draft, drawn on any Nationalized Bank in favour of ZSS (NPHCE). Payable at Keonjhar EMD Deposit will not be considered. Security of unsuccessful tenders will be returned without interest on finalization of bid. EMD of successful tenderer will be retained & will be refunded on successful completion of the job without interest. The said deposit must be submitted along with Tech. Bid.	(Draft to be submitted)
9	Cost of tender paper of Rs1000/- (One thousand only) non refundable Cost of Tender paper must be submitted by way of Demand Draft, drawn on any Nationalized Bank in favour of ZSS (NPHCE). Payable at Keonjhar	(Draft to be submitted)
10	Annual turnover of the bidder : The average annual turnover should be Rs. 10 lakhs or more for last three financial years (2016-17&2017-18 & 2018-19)	Certificate from Chattered Accountant, certifying the average annual turnover of last 3 consecutive financial years in original. Audited Balance sheet and P&L account of said financial years (2016-17&2017-18 & 2018-19)
11	Declaration to the effect that regarding does not does not have any legal suit / criminal case pending against it for violation of GST act or any other law and agrees to abide by all terms & condition of the tender.	(Affidavit by original stamp paper Certificate by Notary with clauses as mentioned Payment Terms & Conditions and Sl. No. 1(One).
12	Submission of Bank Account Details:- Bank a/c No., Name of the bank, Branch & IFSC code.	(photo copy Bank account to be attached)



13	Forwarding letter self declaration that the organization agrees to abide by all terms & conditions of tender	(Affidavit by original stamp paper Certificate by Notary)
14	Authorization certificate from manufacturer, if the equipments to be supplied by dealer.	(photo copy to be attached)
15	ISO certificate of manufacturer.	(photo copy to be attached)
16	Valid Drugs Licence (Only in case of Consumable & Medicines)	
17	All documents submitted to be signed by the authorized person in each page with official seal and Index to be submitted.	
18	Undertaking for supply of the materials as per the specifications only	(photo copy to be attached)
19	Experience in relevant field (Proof of at least 5 work orders of hospital supply Govt. or Corporate Sector)	(photo copy to be attached)

DECLARATION

I /we hereby certify that the terms and conditions, specification etc. given with the tender notice have been read carefully and acceptable to me/us and that the information furnished above is correct to the best of my / our knowledge. I / we understand that in case of any deviation in the above statement / furnishing of forged documents etc. at any stage, our Firm/Agency will be blacklist and will not have any dealing with your organization in future.

Signature and seal of the authorized signatory

Place:


Date :




Seal

TENDER FORMAT
(Financial Bid for Equipments & Instruments under (NPHCE))
(To be furnished in Financial Bid)

SCHEDULE-I

Sl. No	Item	Specification	RATE INCLUSIVE OF ALL TAXES
01	Examination table 	Basic treatment cum Examination table with vinyl upholstered two-section well padded top, size 180cm x 60cm with a fixed working height of 80cm backrest is 67cm long and is easily adjustable for desired position	
02	Wheel chair 	Basic Wheelchair Premium Steel Frame, Powder Coated, PVC upholstery, Fixed armrest, Fixed Footrest, Solid Composite castors, Solid rubber rear wheels	
03	Partition screens	Type of Product : Bed Side Screen Dimension (HXW) : 167 x 243 cm Material Finish : Epoxy Powder Coated Color : White	
04	Traction 	Technical specification Operating voltage – 220 VAC , 50 Hz Max traction force – 50 kgs Treatment time – 0-99 min Hold time – 0-99 sec Rest time – 0-99 sec Alarms – treatment time over & patient safety switch. Weight – 15 kgs Max power consumption – 50 watts Operating voltage – 220 VAC, 50	
A	Shoulder wheel axial model 	Physiotherapy Shoulder Wheel Compact is made having superior quality steel alloy rod with rubber insulated handle for perfect grip. It is most commonly used in rehabilitation centers for doing shoulder exercise. This wheel compact is used by rotating it 360 degrees by holding the handle. It is known for having ergonomic	



		structure and is provided with wall mounting clamps for ensuring its quick & easy installation. Shoulder Wheel Compact features a superior quality bearing system that allows smooth & noise-free movement	
B	Shoulder wheel 	Physiotherapy Shoulder Wheel offered by us is made of superior quality galvanized steel with coating of corrosion resistant paint. It is intended to be used as the physiotherapy equipment for strengthening shoulder muscles & joints. This wheel also features a handle for convenience of user and has been equipped with high quality bearing for smooth wheel movement. It is completely suitable to be fixed on the wall with help of provided metal frame & appropriate fasteners.	
C	T Pulley 	Tee Pulley is intended to be used for physiotherapy exercise for assuring better recovery from health condition. It is made of superior quality metal alloy and comes with the corrosion resistant surface finish. This pulley can easily be mounted on wall with help of provided flange. It works with help of provided steel wire and PVC pulley by pulling provided handles one by one. Tee Pulley helps in building shoulder & chest muscles with improved blood circulation	
05	Height adjustable walker 	Features Space Saving Rigid Support Universal Fit Adjustable Support	
06	Height adjustable walking stick	Features Rigid Support Universal Fit Adjustable Support	





07	Bipap	<ul style="list-style-type: none"> • Dimensions- 18 cm L x 14 cm W x 10 cm H (7" L x 5.5" W x 4" H) • Pressure range - EPAP 4 - 25 cm H₂O; IPAP 4 - 25 cm H₂O; CPAP 4 - 20 cm H₂ • Starting ramp - 4 to EPAPmin • Flex pressure relief - 0 to 30 (S-mode) • Breath rate - 0 - 30 beats per minute Ramp time - 0 to 45 min (5-min increments) min • On-board data storage capacity (minimum) - up to 3 mon • Filters - Foam and optional ultra-fine • Electrical requirements - 100-240 (50/60) VAC (Hz) • Device setup - LCD/control wheel/push button • Data storage capacity Display (minimum) - Compliance VIC, 1-, 7- and 30-day averages • Compliance meter - Breathing detection • Altitude compensation - Automatic • Humidification - Integrates with System One 60 Series humidifier and System One 60 Series Heated Tube humidifier 	
08	C pap	<p>1. Should be light weight, easily portable, reliable and sturdy</p> <p>2. CPAP generator:</p> <p>Option of pressure setting from 3 to 12 cm H₂O</p> <ul style="list-style-type: none"> • Should have a detachable overflow container • Should deliver the intended pressure constantly and accurately • Easy to clean/sterilize • The gradations (on the sliding rod) should be easily visible from distance of 6 feet. <p>3. Air Oxygen Blender</p> <p>FiO₂ concentration should be adjustable (21-</p>	



		<p>100%)and accurate</p> <p>4. Humidifier Should automatically regulate the required temperature</p> <ul style="list-style-type: none"> • Should be a closed system for filling up water • Should have ports for heater wire as well as temperature probe • Should display the chamber temperature and temperature at the patient end. <p>5. Patient circuits</p> <ul style="list-style-type: none"> • Should have the option of using both disposal and reusable circuits • Disposal circuits should be readily available and reasonably priced. • Should be able to accommodate a heater wire: heat loss should be minimal along its length. <p>6. Battery back up Should have a battery back-up for at least 45-60 min.</p> <p>7. Safety Features Limiting the delivered pressure in the event of an occlusion</p> <p>8. Device is produced by ISO 9001 certified manufacturer</p> <p>9. Device is safety certified according CE93/42 FDA 510k or equivalent</p> <p>Supplied with: - 5 reusable / disposal to be included. Soft, Pliable nasal prongs- in at least 3 sizes (15 each)</p>	
09	<p>Paraffin wax bath</p> 	<p>Wax Bath made out of stainless steel sheet. The top has an aluminum cover, works on electricity 220-240 V. Provided with special wax immersion type heater and thermostat to control temperature. Externally finished oven baked.</p>	
10	Pulse oximeter finger	<p>Finger pulse oximeter Power supply – battery Type – finger tips Display type - LED</p>	
11	Infrared radiation therapy unit	<p>Mains connection - 220-230 V~ / 50-60 Hz Power consumption - 100 W Max. Radiation intensity: 1900 W/m² Dimensions (W x H x D) - 120 x 205 x 165 mm Operating Conditions Temperature: +5 C to +35 C; Relative humidity: 15%-93%</p>	

40

		<p>Storage and transport Temperature: 25 C to +70 C; Relative humidity: 93%</p>	
<p>12</p>	<p>Patient monitor 5 parameter</p> 	<p>ECG, NIBP, SPO2, RESP and 2-TEMP parameters 12.1" high resolution TFT color display Adult, Pediatric and Neonatal monitoring Arrhythmia Detection and Alarm facility 20 days Graphical and Tabular Trends storage Drug Dose Calculation and Titration table Night mode facility 5 days wave review Standard, Large font, Trends, OxyCRG and 7 Lead ECG display</p> <p>Color coded Audio-visual and Voice alarms Pace detection Real time ST segment analysis Electrocautery and Defibrillator Protected Networking Capability Wireless CMS connectivity through WiFi* Dual channel IBP Monitoring * Sidestream and Mainstream capnography *</p>	
<p>13</p>	<p>Interferential therapy unit IFT</p> 	<p>29 IFT Programs 2 pole, 4 pole, 4 pole vector scan programs with combination of different waveform makes it truly versatile.</p> <p>Base & Spectrum Base & Spectrum controls are used to promote effective penetration and pain relief.</p> <p>SPECTRUM INDICATOR Displays the Interference spectrum frequency variation on Bar graph display.</p> <p>SAFETY FEATURES The patient can stop the machine by pressing the patient switch should there be any discomfort.</p> <p>INTENSITY BALANCE To even minutely vary currents between the 2 channels.</p> <p>SMART FEATURES</p>	



		<p>Computerized programs ensure that the machine produces output only after Intensity is set to Zero with audio alarm. This prevents a patient from accidentally receiving a high intensity that was set for the previous patient</p> <p>OPERATING FREQUENCY 2 KHZ and 4KHZ operating frequencies are available.</p> <p>Technical Specifications No. of Channels: 2 Channels Output Current: 0 – 75 mA Output Frequency: IFT Channel I – 4000 Hz – 4250 Hz Channel II – 4000 Hz (Constant) 2000 Hz mode also available Interference Frequency: Base – 0 Hz – 150 Hz Spectrum – 0 Hz – 150 Hz Modes : 2EL/4EL/4EL45 VECTOR/4EL90 VECTOR Sweep Patterns Triangle/Square/Trapezoidal Vector Scanning: 45 & 90 Degrees Operating Voltage: 220V AC / 50 Hz</p>	
14	<p>TENS</p> 	<p>Intensity Controls Independent 4-Channel Intensity Control and display of output current for each channel.</p> <p>Digital Display Digital Display of output current of each channel and treatment time.</p> <p>Smart Control Computerized programs ensure that the machine produces output only after Intensity of all 4 channels are set to Zero. This prevents a patient from accidentally receiving a high intensity that was set for the previous patient.</p> <p>1-200 Hz Frequency Conventional TENS produces only above 50 HZ frequency. ACUTENS provides a wider frequency band. Thereby advanced TENS</p>	

		<p>treatments can be performed.</p> <p>Technical Specifications No of Channels: 4 (Independent) Output Current: 0 – 60 mA Output Voltage: 0 – 100 V (Peak to Peak) Treatment Time: 5, 10, 15, 20 Min Frequency: 1 – 200 Hz Pulse Width: 75 – 360 Sec Operating Voltage: +12 V AC, 500 mA Power Consumption: 5 W</p>	
15	<p>Nebulizer heavy duty</p> 	<p>Nebulizer Compact Size And User Friendly Nebulizer Compact And Travel Convenient</p>	
16	<p>Peg board</p> 	<p>A set of 16 pegs of 4 basic shapes, 4 colors and 4 lengths. By fitting each piece into the corresponding hole in the base, and arranging them into rows of ascending height, children learn to distinguish different shapes, colors and lengths.</p>	
17	<p>Hand therapy unit</p> 	<p>Hand Exercise Table is most commonly used in hospitals and rehabilitation centers for improving strength of muscles & radioulnar joint and movement of fingers. It comprises hand grippers and other equipments that are required for enhancing blood flow in hands. This table is made of superior quality wood and is provided with termite resistant coating. It is a complete package of all necessary systems that help in better & faster recovery of injured hand.</p>	
18	<p>Quadriceps table</p> 	<p>Quadriceps and hamstrings can be exercised without changing the position of patient. The unit consists of foam padded table and a torque unit with two level arms, one of which holds the weight while the other provides contact with the patient. By Changing the angle between the two arms, maximum or minimum resistance can be given at any point in the range. Complete with four weight plates of 1 Kg. Each.</p>	
19	<p>Weighing machine</p>	<p>Manual Maximum weight capacity 150 kg</p>	

Handwritten signature

20

ILR

- Net Vaccine Storage Capacity: 135 to 160 liters within basket in place.
- ❖ Construction:
 - Internal: Stainless 304 grade steel and 20 guage.
 - An additional special ice lining consisting of icepacks covered by strong plastic shell.
- ❖ External:
 - Corrosion Resistance (CR at least 1 mm thickness)
 - Chest type with CFC – free insulation
 - Should have horizontal water cool pack covering the top of the basket.
 - Solid door with lock and handle
- ❖ Type: Compression Cycled, CFC-Free (both for refrigeration and insulation) All system tubing (suction tube, freezer tube and condensing tube) should be of minimum 99.97% of pure copper coil.
- Temperature of a full vaccines to remain +2 deg C to +8 deg C during continuous availability of energy at ambient temperature +5 to +45 deg. C with intermittent/ continuous electricity supply 8 hrs in a 24 hrs cycle. The temperature difference between any two points in the cabinet should not be more than +2 deg. C once stabilized.
- Inlet of Capillary should be outside the PUF body.
- ON/OFF Switch and power indicator should be available
- ❖ A Micro processor based control unit should be provided for setting of temprature and display following features:
 - Digit digital display (to one decimal point) of cabinet temperature. The sensor should be placed 25 to 50 mm above base of storage chamber.
 - Power on LED/LCD indicator
 - Audio (minimum 65 dBA) and visual alarm against the violation of temperature range (less than +2 and more than +8 degree C)
 - Min. & Max. cabinet temperature digital display of last 24 hrs. and breaches



6

		<p>during last 24 hrs. The unit should be sealed/protected from dust, moisture or condensed water falling over it.</p> <ul style="list-style-type: none">• Accuracy for digital controller +/- 0.5 degree centigrade	
--	--	--	--



TENDER FORMAT**(Financial Bid for Equipments & Instruments under DEIC****(To be furnished in Financial Bid)****Schedule-II**

Detail list of Equipments, Instruments & Consumables/ Reagents to be purchased for the colocated dental wings of DHH (DEIC) & SDH/ CHC level

Sl. No.	List of Dental Equipments & Instruments	Specification / Make	Rate Inclusive of all taxes
1	Hot water bath sterilisation		
2	Glass bit steriliser		
3	Table top Front Loading Autoclave (electrical)	Faro	
4	Forceps set for extraction (Adult)	GDC Atromatic	
5	Forceps set for extraction (Pedo)	GDC Atromatic	
6	Restorative Filling and Carving Instruments Set	GDC	
7	Elevators set of 10	GDC Atromatic	
8	Tongue depressor	GDC CRW1, CRW2	
9	Composite Filling Instruments 1 kit	GDC	
10	Dental Electric Brushless Micromoto	Miromega	
11	Automatic Water Distiller for Autoclave	Faro	
12	Mouth Mirrors	GDC MH3	
13	Probes-Straight	GDC MH3	
14	Explorers	GDC	
15	Tweezers	GDC	
16	Cheatle forceps	GDC CF	
17	Kidney trays		
18	Plastic Cheek Retractors		
19	Mouth Props (Adult + Pedo)	GDC MP3	
20	Cement Spatula- Plastic		
21	Cement Spatula - Metal	GDC	
22	Matrix Band and retainer (both no.- 1 & 8)	GDC	
23	Dental Impression Trays (upper and lower)- Complete Set	GDC	
24	Rubber Bowls		
25	Plaster Spatula- straight		
26	Plaster Spatula- curved		
27	Suction tips - Metal	GDC ASPFR4	
28	Mallet - Dental	GDC MAL2	
29	Scissors- Straight	GDC S26	
30	Needle Holder	GDC H1	
31	Bone Chisel	GDC CC7	
32	Glass slab		
33	Scalpel handle- No.3 & No.-5	GDC 1-015	
34	Plastic patient drape		
35	Glass dappen dish		
36	X-ray viewer		
37	Stainless steel drums	GDC	
38	Hand scaler (complete set)	GDC	
39	Portable dental darkroom		
40	Mortar And pestel		
41	Lead Apron		
42	Suture cutting Scissors	GDC S25	
43	Curve Scissors	GDC S11	
44	RVG	Vatec	
45	Laptop	HP/ Dell	
46	Auto X-ray Developer Mechine	Kodak	

TENDER FORMAT

(Financial Bid for Equipments & Instruments under DEIC

(To be furnished in Financial Bid)

Schedule-II(1)

Detail list of Equipments, Instruments & Consumables/ Reagents to be purchased for the colocated dental wings of DHH (DEIC) & SDH/ CHC level

Sl. No.	List of Consumables for Dental wings	Specification / Make	Rate Inclusive of all taxes
1	Developer	1 Ltr.	
2	Eugenol	110 gm	
3	Fixer	1 Ltr.	
4	GIC filling (15gm powder/8g liquid)	Type-8 (Make-	
5	GIC luting (15gm powder/8g liquid)	Type-1 (Make-	
6	Impression material alginate dust free	3M	
7	Putty and Light body	3M	
8	Plugger 15-40 assorted	Densplay	
9	Polishing paste	Septodent	
10	Vaseline		
11	Burs assorted for contrangle handpiece (round, taper fissure, invertedcone) - 10 Each	Sufu	
12	Composite kit with enchant and bond	3M	
13	Composite syringes- Kit	3M	
14	Composite finishing and polishing kit	Sufu	
15	Dental IOPA xray film Pedo (size 0)	Kodak	
16	Dental IOPA xray film adult (size 2) (E speed)	Kodak	
17	Diamond burs-Air rotar handpiece-assorted	Sufu	
18	Disposable dental suction tips (100 tips)		
19	G.P point 15-80 assorted	Densplay	
20	PROTAPER GP ASSORTED (Hand)	Densplay	
21	H file set assorted 15-40,45-80 (21 mm)	Sureendo	
22	K file set assorted 15-40,45-80 (21 mm and 25 mm)	Sureendo	
23	Matrix band no-1	Septodent	
24	Matrix band no 8 -1	Septodent	
25	Mylar strip (8mm,100 strips pack) -1	Septodent	
26	Polishing brush and cup -2 each	Sufu	
27	Plaster of paris -2 kg		
28	Zinc oxide powder (110 g)	Mark	
29	Applicator tips for bonding agent		
30	Pit and fissure sealant	3M	
31	Zinc phosphate cement		
32	Cotton rolls for isolation(10mm.1000 rolls)		
33	Etchant gel 37% phosphoric acid gel	3M	
34	Dentin bonding agent	3M	
35	Wedges wooden		
36	Formocresol (30 ml bottle)		
37	Calcium hydroxide powder	Technodent	
38	Topical fluoride varnish		
39	Green cloth bags for autoclaving instruments		
40	Black silk suture 3.0 and 4.0 with suture needle (reverse cutting)- 5pack		
41	46. B P blade no 15 -1 pack		
42	Instrument wardrobe	Godreg	