



CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER :  
KEONJHAR



Advt. No. 562/CDM&PHO,Keonjhar

Date. 16.09.2021

**TENDER CALL NOTICE**

Sealed tenders are hereby invited from the intending manufacturers or their authorized stockiest / Distributors for supply of Hospital Equipments (EIF) to DHH, Keonjhar for 2020-21 to Keonjhar District.

The eligible bidders may submit their tender papers on or before 06.04.2021 by 5.00 P.M. through Registered Post / Speed Post / Courier only to the undersigned. The Technical Bid documents will be opened on 07.04.2021 at 11.00 A.M. Those who will qualify in the Technical Bid, their Financial Bids will be opened on the same day. The details in this connection are available in the district NIC website: [www.kendujhar.nic.in](http://www.kendujhar.nic.in).

The authority will not be responsible for any postal delay. The undersigned has reserves the right to reject or cancelled any or all the Tender without assigning any reason thereof.

Sd/- Chief District Medical & Public Health Officer, Keonjhar

  
Chief District Medical & Public  
Health Officer, Keonjhar

**OFFICE OF THE CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER,**  
**KEONJHAR**  
**TENDER CALL NOTICE**


No 562

Dated 16/03/2021

**Terms and Conditions of Tender submission & Finalisation**

Sealed Tenders are invited from the interested manufacturer/ firms / agencies / organization for supply of hospital equipments [EIF], O/o- CDM & PHO Keonjhar as per specification detailed in **Annexure "A"**

Last date and time for submission of Tender	06.04.2021 till 05.00 pm Through (Speed Post/ Registered Post/ Courier Only)
Date, Time & Place of Opening of Tender	07.04.2021 at 11.00 am onwards At – DTU, NHM, Keonjhar
Documents to be submitted	<ul style="list-style-type: none"><li>a) Copy of GST</li><li>b) Photo Copy PAN Card of the organization (Firm/Agency/Proprietor)</li><li>c) Copy of authorization certificate in case of distributor.</li><li>d) Copy of valid ISO/ISI/CE/US FDA of manufacturer/ Distributer.</li><li>e) Proof of at least one order copy of any hospital supply (Govt./ PSU/ PVT)</li><li>f) Average annual turnover amounting to Rs.1,00,000,00.00 (One Crore) in last three financial years (2017-18, 2018-19 &amp; 2019-20). The audit Report for the above said financial year to attached for verification.</li><li>g) Provide any other certification as mentioned in specification of specific product.</li><li>h) The agency should submit the Boucher item wise mentioning details specification with seal and stamp.</li><li>i) Undertaking for supply of the materials as per the specifications only.</li></ul>
Signing of Documents	All papers / documents submitted with the Tender must be signed by the Bidder.
Tender Paper Cost and Earnest Money Deposit	<b>Tender Paper Cost of Rs. 10,000/- (Rupees Ten Thousand Only) ( Non-Refundable)</b> in form of Bank Draft drawn in favor of "ROGI KALYAN SAMITY, DHH KEONJHAR" payable at Keonjhar. <b>Earnest Money Deposit of Rs.5,00,000/- ( Rupees Five Lakh Only)</b> in form of Bank Draft in favor of "ROGI KALYAN SAMITY, DHH KEONJHAR" payable at Keonjhar . EMD will be refunded to the unsuccessful bidders after finalization of Tender Process without interest. The EMD of successful bidder will be refunded after completion of the supply without interest.
Delivery Timeline	The agency must ensure for delivery of the product at Office of the CDM & PHO, Keonjhar <b>within forty five days</b> after receiving of order.
Submission of Bid Documents	The Bidders must submit the Technical and Financial Bid through (Speed Post/ Registered Post/ Courier Only) as <b>"Tender for supply of hospital equipments [EIF]"</b> .
Validity	The tender rate to be valid for one year
The undersign reserves all the rights to cancel or reject any or all tenders without assigning any reason thereof. The decision of the committee will be treated as final. The committee reserves the rights to cancel any item if the quality of the item (Sample) is compromised.	

  
Chief District Medical & Public  
Health Officer, Keonjhar

**Annexure "A"**  
**List of items with specifications**

Sl No	Name of the items	Specifications
1.	<b>Laparoscopic Surgery System (Laparoscopic Machine)</b>	<p><b>1.) <u>3-Chip CMOS High Definition Endoscopic Camera System with ICG</u></b></p> <p>The system should be high defination, with progressive scan with CMOS technology, 3-chip-endoscopic video camera. The system should consist of one Camera control unit/ console and one camera head.</p> <ul style="list-style-type: none"> <li>● HD video with 1920x1080pnative resolution</li> <li>● CMOS 3-Chip camera technology</li> <li>● Control of ICG fluorescent viewing from the camera head</li> <li>● Programmable buttons to adjust the cavity backlighting and intensity of ICG fluorescence vibrancy from the camera head</li> <li>● Dynamic Range Enhancement designed to improve visualization in the surgical field by creating a brighter image in dark and posterior compartments by up to 150%.</li> <li>● Desaturation to decrease the saturation of color in the image to the level preferable by the surgeon</li> <li>● 9 cross-specialty settings for optimized color and brightness</li> <li>● Device Control from the camera head:</li> <li>● 4 programmable buttons on the camera head with 19 customizable functionality.</li> <li>● Customizable color settings and button function settings per surgical specialty</li> <li>● 18mmcoupler with single-handed focusing design</li> <li>● Ergonomic, lightweight camera head design</li> <li>● Intuitive touch screen LCD interface for ease of operation</li> <li>● Endoscopic Near-Infrared Visualization Fluorescent imaging for visual assessment of vessels, blood flow, tissue perfusion, and biliary structure identification</li> <li>● IRIS: Infrared Illuminating System- Trans illuminate the ureters with the U-Kit designed to help reduce the risk of ureteral damage.</li> </ul> <p><b>2) External HD Medical grade recording device: should be from same company with US FDA &amp; CE approved</b></p> <p>Min 500 GB internal hard disk MPEG 4 Video recording- 1920 X 1080p, still image- Jpeg With inbuilt display screen of mimimum 3.5 inch , remote &amp; keyboard</p>

Can be connected & recorded from OT in light camera also  
Simultaneous recording in USB drive and hard disk.  
Should have LAN connectivity.

### **3. LED light source with Safelight Optic**

#### **Cable with Infrared**

- Enables users to visualize standard white light wavelengths, Infrared light wavelengths, and Endoscopic Near Infrared wavelengths using ICG technology
- Control the Light Source directly from the camera head
- Adjustable light intensity in both white light mode and in ENV mode
- Integrated Infrared lighted fibers for ureteral detection
- Integrated Safelight technology designed to put the Light Source into Standby mode when disconnecting the scope from the light cable
- Maintains strong white light output over course of use
- Intuitive capacitive LED touch screen user interface
- Universal jaw for broad compatibility and ease of use

### **4.Laparoscopy Trolley: should be from the same manufacturing company with Monitor arm & isolation transformer**

#### **5.Suction Irrigation:**

Should have Roller wheel for irrigation

Should have minimum Irrigation flow rate:  
max. 1,8 l/min

Irrigation pressure: max. 400 mmHg

Vacuum pump for suction

Suction flow rate: max. 1,8 l/min

Suction pressure: -60 kPa

Should be provided with 2 sets of reusable tubing's and 10 sets of disposable tubing's , bacterial filter and bottles

Instrument sterilization tray – Qty 2

### **6. HD Telescopes Qty -3**

- 10mm 30degree & 0 degree and 5mm 30 degree HD laparoscopes for Endoscopic near Infrared visualization.
- lens technology to enable visualization of fluorescent and near-infrared wavelengths with ICG
- Aspherical Lens Technology for minimized optical distortion
- Improved light transmission and edge brightness

- Laser welded enclosures for increased quality and durability.

#### **7. High Resolution LED Monitor (HD) - qty-2**

The system should have:

- Hi Definition Medical Grade Colored Monitor 26" IPS Alpha panel with LED backlight Flat Panel Monitor from same company
- PAL/NTSC system compatible. The response time should be <8ms.
- Composite, S-Video and DVI inputs.
- Compact & Lightweight design.
- The system should have Compact & Lightweight design
- The system should have Resolution of 1920 X 1080
- Aspect Ratio: 16:9 and contrast ration 1400:1with viewing angle 178 degree
- Must have a preset specialty setting.

#### **8. Insufflators 45L Qty - 1**

- Min 45 liter of high flow & having LCD Display measurement
- Soft approach pressure control for safe recovery of abdominal pressure
- Should have four mode & visual and audible alarms with min 0.1 L flow rate
- Internal leakage detection capability
- Integrated Gas heating
- Having internal venting system for safety
- Should have video on screen display & Touch screen facility
- Unit should include heated tubing, hose & yoke
- With dedicated -Pediatric & Bariatric Modes

#### **OTHERS**

Should have US FDA & European CE approved product

Standard warranty of 2 years from the date of installation.

#### **9. HAND INSTRUMENTS & OTHER**

##### **ACCESSORIES**

1. Reusable Veress Pneumoperitoneum Needle Spring loaded blunt stylet/luer lock. Length-10 cm -2 nos & Length 15 cm-2 nos.
2. Reusable Trocar :- 5mm: Multifunctional valve, insufflation stopcock and smooth sleeves, pyramidal tip, length (10.5cm), autoclavable - 5 nos

3. Reusable Trocar :- 10/11mm: Multifunctional valve, insufflation stopcock and smooth sleeves, pyramidal tip, length (10.5cm), autoclavable- 4 nos.

Reusable Trocar :- 5mm: Multifunctional valve, insufflation stopcock and threaded sleeves, pyramidal tip, length (10.5cm), autoclavable - 2 nos.

4. Reusable Trocar :-13.5mm: Multifunctional valve, insufflation stopcock and smooth sleeves, pyramidal tip, length (10.5cm), autoclavable -1no.

5. Two ways Suction and Irrigation cannula: Size 5mm, length 36cm, used with suction and irrigation handle and handpiece with stopcock - 2 nos.

Tissue Grasping forceps – toothed 2x 3 teeth: Single action jaws of size 30-35mm, rotating with connector pin for unipolar coagulation, size 5mm, length 33-36cm, dismantling facility, plastic handles with ratchet, autoclavable- 1 no.

6. Tissue Grasping forceps – toothed 2x 3 teeth: Single action jaws of size 30-35mm, rotating with connector pin for unipolar coagulation, size 5mm, length 33-36cm, dismantling facility, plastic handles with ratchet, autoclavable - 1 no.

7. Grasping forceps- Atraumatic: Double action jaws, spoon shaped with multiple teeth of jaw length 18-23 mm and rotating with connector pin for unipolar coagulation, size 5mm, length 33-36cm, dismantling facility, plastic handles without ratchet, autoclavable - 1 no.

Dissecting and Grasping foreceps - Alligator type: Double action jaws , rotating with connector pin for unipolar coagulation, size 5mm, length 33-36cm, dismantling facility, plastic handles with ratchet, autoclavable - 1 no.

8. Dissecting and Grasping forceps- Single action jaw , with dolphin nose tip of 16-20 mm, rotating with connector pin for unipolar coagulation, size 5mm, length 33-36cm, dismantling facility, plastic handles without ratchet, autoclavable - 1 no.

9. Grasping forceps- Atraumatic – Reddick Olsen type: Double action jaws, with fine serrations on jaw length 12-18 mm and rotating with connector pin for unipolar coagulation, size 5mm, length 33-36cm, dismantling facility, plastic handles without ratchet, autoclavable - 1 no.

Grasping forceps- Fenestrated: Single action straight jaw of 24-26mm length with fine serrations and fenestration , rotating, size 5mm, length 33-36cm, dismantling facility, plastic handles with ratchet, autoclavable - 1 no.

10. Grasping forceps- Fenestrated: Double action straight jaws of 35-40 mm length with fine serrations and fenestration, rotating, size 5mm, length 33-36cm, dismantling facility, plastic handles with ratchet, autoclavable - 1 no.

11. Babcock Grasping forceps- (5 mm):

Double action jaws, atraumatic fenestrated, rotating, size 5mm, length 33-36cm, dismantling facility, plastic handles with ratchet, autoclavable - 1 no.

Babcock Grasping forceps- (10 mm): Double action robust jaws with large atraumatic gripping surface, rotating, size 10mm, length 33-36cm, dismantling facility, plastic handles with ratchet, autoclavable - 1 no.

12. Fan shaped retractor: Rotating with 4-5 blades, size 5mm, length 33-36cm, dismantling facility - 1 no.

13. Hook Scissors: Double action jaws , rotating with connector pin for unipolar coagulation, size 5mm, length 33-36cm, dismantling facility, , autoclavable - 1 no.

Bipolar coagulating forceps: Wide jaws for dissection, grasping large vessels, size 5mm, length 33-36cm fenestrated. Jaws with robust hinge and 360° rotational, ring handles, can be completely disassembled and a cleaning port, autoclavable - 1 no.

14. Bipolar coagulating forceps (Only Insert):

Maryland type jaw of 18-20 mm length, and 34-36 cm long to fit into the other parts of No. 23, autoclavable - 1 no.

15. Needle Aspirator: Size 5mm, length 30-36cm, Needle diameter of 1.5-2 mm - 1 no.

19. Clip Applicator - Large: Rotatable, provision for locking the shaft conveniently, 10mm, compatible with clip LT 400 - 1 no.

Hassan cone: Adaptable to 10mm trocar - 1 no.

20. Reduction Sleeves/Extractors: From 10/11mm to 5mm, metallic - 2 nos.

21. Reducers: from 10/11mm to 5mm - 2 nos.

L-Hook: Size 5mm, length 33-36cm with pin for cautery - 2 nos.

22. Spatula: Size 5mm, length 33-36cm with pin for cautery - 1 no.

23. Fascia closure instrument: Size 2.8mm, length 17cm with single action jaw - 1 no.

High Frequency Cord: For 5mm & 10mm hand instruments with Monopolar Electrodes, spatula tip - 2 nos.

24. Washers: For 5 & 10 mm cannula and reducers - 20 pieces each

25. Fibreoptic Light cables: With straight connectors of 4.8mm diameter and 300 cm long - 1 no.

10. Should have minimum 2 years warranty from the date of installation, AMC for next 8 years to be quoted, price of AMC shall be considered for evaluation of L1 bidder.

**SPECIFICATIONS OF C-ARM IMAGE INTENSIFIER**

Microprocessor controlled C-arm machine should provides the excellent image quality at low radiation, ideally suited for entry level surgery in many application fields.

**A) IMAGE INTENSIFIER:**

- Image Intensifying Tube: 9 Inches, Triple Field
- Camera: High Resolution Camera
- Monitor (01No.): High resolution LCD monitor along with a trolley

**B) C-ARM MOVEMENTS**

1. Rotation: +180 Degrees.
2. Motorized Up/Down: 420mm or more
3. Horizontal Travel: 200 mm or more
4. Arc Orbital Movement: 120 Degrees
5. Source to Image distance should be more than 900mm
6. Depth of "C" should be at least 585mm
7. Wig Wag: ±12.5 Degrees.

**C) X-RAY GENERATOR:**

- High Frequency (40 KHz)
- Output power should be 3KW or more.
- Fluoro & Rad. Kv 40 to 110 KV or more.
- Radiographic mA: 60mA or more
- Fluoroscopic mA: up to 3mA (Normal Mode)
- up to 6mA (High definition Fluoro).

**D) X-RAY TUBE:**

- Monoblock tube head having dual focus stationary anode X-Ray tube of focal spot 0.6mm (small focus) & large focus (1.5mm) should be provided.
- Anode Heat storage capacity should be at least 40KHU.
- Fix Cylindrical Collimator should be provided.

**E) CONTROL: Control should have the following:**

- A very compact, soft touch control panel(APR) with L.C.D display on which KV, fluoro mA, radiography mAs, fluoro time,

2. C ARM

I.I Zoom, error interlocks for KV, filament and thermal overload are displayed. Console panel has following functions and indications.

- Machine ON/OFF switch.
- I.I magnification (I.I field) selection switch.
- Fluoro and Radio mode selection
- Fluoroscopy timer (Five minute cumulative timer with buzzer that activates after the completion of 300 seconds of exposure to reinitiate the exposure reset switch is provided).
  
- ABS (Automatic brightness stabilization) selection for hand free operation- also known as ADR
- KV and mAs increase and decrease switches
- X-Ray ON switch with indicator.
- Switches for up/down movement of "C" on both side of panel.
- Radio and Fluoro Exposure ON Switches on Panel
- Emergency OFF switch on the control panel.

F) MEMORY SYSTEM should include the following: -

- High Resolution image processing software Main features
- GUI based software panel for easy operation
- Pre-set image parameters setting as per Extremities, Ortho, Uro procedures.
- Unlimited patient folder creation with total image storage up to 500 images Pre-processing:-
- LIH Operating Mode
- Averaging 1 to 16 frames
- Patient data Entry, Manual & Emergency modes
- Post processing:-
- Brightness /Contrast Adjustments/Enhancement with control of WW & WL
- Negative image feature
- zoom with pan
- Image Flip UP/DN & L/R
- Image rotation feature
- Quad view
- Image save & Retrieve from & to separate patient images folders Storage & Connectivity:-
- PC connectivity through LAN port
- Image storage through USB

G) Power requirement:

- The unit should be operable on Single Phase 230 V  $\pm$  10% AC,

		<p>50 Hz</p> <ul style="list-style-type: none"> <li>Inbuilt electronic voltage stabilizer should be provided</li> </ul> <p>H) OTHER REQUIREMENTS:</p> <ul style="list-style-type: none"> <li>The company should be ISO certified company.</li> <li>The quoted model should be European CE Certified with Notified Body No</li> <li>The unit should be approved by AERB.</li> <li>The company should have a Service center in State.</li> <li>The company should have proven track record in Govt. sector.</li> </ul>
3.	Orthopaedics Compatible OT Table (Radioluscent with all attachment)	<p><b>OT TABLE-ELECTRIC WITH DOUBLE REMOTE ORTHOPAEDIC ATTACHMENT</b></p> <ol style="list-style-type: none"> <li>Pelvic rest</li> <li>Pelvc support(radiolucent)</li> <li>Inner thigh support</li> <li>Thogh support</li> <li>One pair leather shoes</li> <li>Tibia attachment.</li> <li>Hand surgery table(rediolucent)</li> <li>Hand traction device.</li> <li>Steinman pin holding clamp</li> <li>Special head rest for shoulder surgery</li> </ol> <p><b>spine attachment</b></p> <ol style="list-style-type: none"> <li>Spine bridge(translucent)</li> <li>Horse shoe attachment(head support)</li> <li>Bolsters pair</li> </ol>
4.	<b>ELECTRONIC TOURNIQUET (Both Upper &amp; Lower Limb)</b>	
5.	Orthopedics Drill (electronics), Power drill	<p>Material- Steel, Torque-6.5NM, Sterilization, Battery, Number Of Blades-2, Voltage-14.4V</p> <ul style="list-style-type: none"> <li>Hand Piece Motor, Battery Operate</li> <li>Drill Attachment (Jacob Chuck Type)</li> <li>Cannualted Drill Attachment</li> <li>Oscillating Saw attachment</li> <li>Reamer Attachment</li> <li>Convert Adapter for AO design Reamers</li> <li>Convert Adapter for Quick Coupling Drill Bits</li> <li>Charger</li> <li>Sterilizing Rings</li> <li>Oscillating Saw Blades</li> <li>Battery</li> </ul>
6.	Fogging Machine	<p>Technical Description</p> <p>Type- Thermal aerosol pulse jet fogging machine Starting mechanism Electronic circuit with 6 volts battery</p> <p>Air compressor Compact type - D C Motor for auto starting Hand pump Additional optional facility for manual starting Carburetor Diaphragm type with petal valve</p>

		<p>Fuel consumption 1.5 ltr / hr</p> <p>Chemical consumption 25 - 30 ltr / hr</p> <p>Chemical tank 4.6 ltr - H. D. P. E.</p> <p>Fuel tank 1.3 ltr – aluminum</p> <p>L x W x H (in mm) 1180 x 275 x 360</p> <p>Weight 8.5 kg (empty) approx</p>
7.	<b>STIRRUP PUMP</b>	<p>Normal Working Pressure- 40 PSI 2.6 bar</p> <p>Dimension ( L X W XH)- 670 mm x 232 mm x 105 mm/774 mm x 235 mm x 105 mm</p> <p>Weight – 2.250 kg ( Approx)/ 2.513 kg ( Approx) (without discharge line)</p>
8.	<b>Specifications of ELISA Microplate Reader</b>	<p>Wavelength range from 300 to 750 nm</p> <ul style="list-style-type: none"> <li>• Interference filters (slide of 4 to 6 filters)</li> <li>• Measuring range 0- 3.0 OD</li> <li>• Inbuilt microplate shaking</li> <li>• Measurement time in 10 seconds or less</li> <li>• Branded computer with Laser All in one printer: Touchscreen configuration, data analysis software with USB, Intel core I 3 Processor, LED Monitor (18.5 inches), Pre installed MS Office window, RAM 4 GB, Hard disc 500 GB.</li> </ul> <p><b>Technical specifications of ELISA Microplate washer</b></p> <ul style="list-style-type: none"> <li>• Automated buffer switching</li> <li>• Wash volume 25-300ul/well</li> <li>• Linear shaking</li> <li>• Manifold types 8 or 16 way for parallel Processing</li> <li>• Advanced process control system for fluid overflow</li> <li>• Warranty – 1Year and 3 years AMC</li> </ul>
9	BONE HOLDING FORCEP WITH SPEED LOCK(SERRETED) -S,M,L	Small, Medium, Large
10	HOHMAN RETRACTOR- S,M,L	Small, Medium, Large
11	WIRECUTTER(MAUN)- S,L	Small, Medium, Large
12	OSTEOTOME(CU/ST)- 5,10,15,20	5,10,15,20
13	BONE LEVER- S,M,L	Small, Medium, Large
14	WIRE BENDER- L	Large
15	WIRE PASSER WITH FIBER HANDLE-	
16	WIRE TWISTER A.O TYPE	
17	CANULATED REAMER- 7 TO 12MM	7 TO 12MM
18	SQ. NAIL REAMER- 2 TO 4MM	2 TO 4MM
19	K-NAIL REAMER(SOLID)- 7 TO 12MM	7 TO 12MM

20	PLATE HOLDING FORCEP(SERRETED)- S,M,L	Small, Medium, Large
21	BONE SCOOP (SET OF 3)-	(SET OF 3)-
22	DEPTH GOUGE- 3.5/4.5MM	3.5/4.5MM
23	BONE HOOKE	
24	PERIOSTEAL ELEVATOR- S,M,L	Small, Medium, Large
25	T-HANDLE WITH CHUCK-	
26	INSERT DRILL SLEEVE - 2.5&3.2MM	2.5 & 3.2MM
27	NEUTRAL DRILL GUIDE(CENTRC ACENTRIC)- 3.5&4.5MM	3.5 & 4.5MM
28	DRILL/TAP SLEEVE - 3.5&4.5MM	3.5 & 4.5MM
29	30. BONE TAP - 2.7,3.5,4.5M M	2.7,3.5,4.5M M
30	POINTED DRILL GUIDE & SLEEVE-	GUIDE & SLEEVE
31	KERRISON PUNCH (UPWARD/DOWNWARD)- 2,MM	(UPWARD/DOWNWARD)- 2,MM
32	DISK PUNCH (ST./DOWNWARD)	(ST./DOWNWARD)
33	REDUCTION FORCEP WITH SPEED LOCK-S,M	Small, Medium
34	GOUGES(CURVED)- S,M,L	Small, Medium, Large
35	SCREW DRIVER(SOLID) - 3.5&4.5MM	3.5 & 4.5MM
36	CANULATED INSTRUMENT SET- 4MM&6.5M M	4MM&6.5M M
37	CHARLE RETRACTOR WITH CHAIN & WT.	
38	BONE CUTTING FORCEP - 7"D/A	7"D/A
39	MEASURING SCALE-	
40	PLATE BENDER ROLLER TYPE	
41	T-HANDLE FOR SCHANZ PIN	
42	GIGLI SAW HANDLE	
43	COUNTER SINK - 3.5&4.5MM	3.5&4.5MM
44	PLATE BENDER(IN PAIR)- S,L	Small, Large
45	BROKEN SCREW REMOVAL FORCEP	
46	BONE GRAFT PUNCH- ST/ANGLE	

*[Handwritten signature]*  
*[Faint stamp]*

47	SELF RETAINING RETRACTOR- 5",6",8"	5",6",8"
48	NERVE ROOT RETRACTOR - CU/ST	CU/ST
49	RING CURETTES - ST/ANGLE	Small, Medium, Large
50	BONE NIBBLERS D/A- CU/St	D/A- CU/St
51	LOWMAN BONE HOLDING CLAMP- S,M,L	Small, Medium, Large
52	PATELLA CLAMP PLAIN(SINGLE PRONG)	Small, Medium, Large
53	PATELLA CLAMP WITH GUARD (SINGLE PRONG)	(SINGLE PRONG)
54	PATELLA CLAMP PLAIN (DOUBLE PRONG)	(DOUBLE PRONG)
55	PLASTER CUTTER	
56	ELECTRIC PLASTER CUTTER (MANMAN)	(MANMAN)
57	HAMMER- S,M,L	Small, Medium, Large
58	FEMORAL DISTRATOR WITH 2THREADED RODS	
59	POWER DRILL MANMAN	
60	ELECTRONIC TOURNIQUET(MECKTRONICS)-	
61	PLATE&BONE HOLDING FORCEP- 6"&8"	6"&8"
62	DHS&DCS INSTRUMENT SET WITH BOX	
63	UNIVERSAL NAIL EXTRACTOR	
64	SIDE CUTTING PLIER(MAUN	
65	RECON PLATE BENDER	
66	BONE HAMMER- M,L	Medium, Large
67	LANE'S BONE HOLDING FORCEP-L	Large
68	L RETRACTOR-S,M,L	Small, Medium, Large
69	BONE AWL (ST.&CU).	(ST.&CU).
70	LAMINECTOMY RETRACTOR SELF LOCKING-S,M,L	Small, Medium, Large
71	STRONG BONE CUTTER (D/A)	(D/A)
72	POINTED REDUCTION FORCEP WITH SPEED LOCK-S,M	Small, Medium
73	PLASER SPREDER HENNINGS	

74	PLSTER SCISSORS WITH SPRING	
75	BONE FILE WITH FIBER HANDLE- S,L	Small, Large
76	ALLIS TISSUE FORCEP	
77	MOSQUITO FORCEP	
78	CURVED ARTREE FORCEP	
79	INFRARED RADIATION LAMP	
80	INFUSION PUMP	
81	ABG MACHINE	
82	Protoscope	SS, Small, (Pediatric) Medium, Large

  
 Chief District Medical & Public  
 Health Officer, Keonjhar

**CHECK LIST/TECHNICAL BID FOR SUPPLY OF HOSPITAL EQUIPMENTS, [EIF]**

Sl. No	Details of the Bidders	Details Description	Page No.
1	Name of the firm / agency (Proof of Registration to be Submitted)		
2	Address of the Firm / Agency		
3	Name of the Contact person		
4	Email of the contact person		
5	Contact Number		
6	PAN Card No of the organization (Firm/Agency/Proprietor)Copy to be attached		
7	Tender Paper Cost Rs. 10,000/- (Rupees Ten Thousand only) in favour of "ROGI KALYAN SAMITY, DHH, Keonjhar ( non-refundable)		
8	EMD Rs. 5,00,000/- (Rupees Five Lakh Only) in favour of "ROGI KALYAN SAMITY, DHH, Keonjhar (refundable without interest)		
9	Xerox copy of GST Registration.		
10	Xerox Copy of valid ISO/CE/ISI/FDC/GMP of manufacturer/ Distributer		
11	Copy of authorization certificate in case of distributer.		
12	Proof of at least one order copy of any hospital supply (Govt./ PSU/ PVT)		
13	Undertaking as per Annexure-B		
14	Declaration/ Undertaking as per Annexure-C		
15	Declaration of Supply period as per Annexure- D		
16	Average annual turnover of amounting to Rs.1,00,000,00.00 (Rupees One Crore only) in last three financial years (2017-18, 2018-19 & 2019-20). The audit reports to be submitted for above said years. As per Annexure-E		
17	The agency should submit the Boucher item wise mentioning details specification with seal and stamp.		
18	Technical Specification of the EIF produced by the bidder for which they take part.		

  
Chief District Medical & Public  
Health Officer, Keonjhar

**Annexure-B**

**AFFIDAVIT**

• I / We \_\_\_\_\_ do hereby declare that I / We have **not been de-recognized / black listed/debarred** by any state Govt. or Central Govt. organization for supply of **Not of Standard Quality (NSQ) Items / non-supply of any items / part supply of any items.**

I / We hereby agreed that the Tender Inviting Authority can forfeit the Earnest Money Deposit (EMD) and blacklist me / us for a period of 3 years if, any information furnished by me / us found to be incorrect and false at any stage.

I/We hereby also agreed that I/We will abide by the Tender terms & conditions. The Tender Inviting Authority has right to forfeit my/our EMD amount if I/we fail to comply with/abide by the terms and conditions.

Place:

Date:

Signature of the Authorized Signatory & Seal of the Bidder

**Seal & Signature of the Notary Public**

  
**Chief District Medical & Public  
Health Officer, Keonjhar**

**Annexure-C**

**AFFIDAVIT**

(To be filled by the Bidder)

I / We \_\_\_\_\_ do hereby declare that I / We have quoted the rate for each of the individual item I/we are submitting quotation for. The rate is inclusive of excise duty, insurance, packing, forwarding, freight, door delivery and Onsite Warranty upto three years (3 Years) including spare and after warranty three years (3 Years) AMC exclusive GST (if any) from the date of Installation.

**Signature of the Bidder with seal**

**Seal & Signature of the Notary Public**

  
Chief District Medical & Public  
Health Officer, Kanyakumari

**Annexure-D**

**DECLARATION**

(To be filled by the Bidder)

I / We \_\_\_\_\_ do hereby declare that I / We supply the stocks within **45 days** (Supply started from 20 days and completed within 45 days) from the date of issue of the Purchase Order. I / We agreed that the Tender Inviting Authority can forfeit the Earnest Money Deposit (EMD) and blacklist/disqualified/debar me / us for a period of next 3 years (three years) for non-supply / part supply of the stocks within the stipulated time period.

**Signature of the Bidder with seal**

  
**Chief District Medical & Public  
Health Officer, Keonjhar**

**Annexure-E**  
**ANNUAL AVERAGE TURN OVER STATEMENT**  
**(To be furnished in the letter head of the Chartered Accountant)**

The Annual Turnover of M/s \_\_\_\_\_ for the last 3 financial years are given below and certified that the statement is true and correct.

Sl.No	Financial Year	Turnover in Crore (Rs.)
1	2017-18	
2	2018-19	
3	2019-20	
Average Annual Turnover in Crore (Rs.)		

Date:  
Place:

Signature of Chartered Accountant  
(Name in Capital)

Seal      Membership No.....

**Note:**

- 1) To be issued in the letter head of the Chartered Accountant with membership No.
- 2) Also attach photocopies of the audited P/L account of each year highlighting the turnover in support of that.

  
Chief District Medical & Public  
Health Officer, Keonjhar

## FINANCIAL BID FOR SUPPLY OF HOSPITAL EQUIPMENTS, [EIF]

Sl. No	Name of items.	Specification	Rate to be quoted in Quantity	Base Price Rs.	GST (in %)	Rate in Rs. (Inclusive of GST)
1.						
2.						
3.						
4.						
5.						
6.						
7.						
8.						
9.						
10.						
11.						
12.						
13.						
14.						
15.						
16.						
17.						
18.						
19.						
20.						
21.						
22.						
23.						
24.						
25.						
26.						
27.						
28.						
29.						
30.						
31.						
32.						
33.						
34.						
35.						
36.						

• Note –The rate to be quoted must inclusive transportation (FOR Destination).

Date:

Signature

  
**Chief District Medical & Public  
 Health Officer, Keonjhar**